



# *The Hotsy Advantage*

*North America's #1 name in  
high pressure cleaning equipment*



*Hot Water and  
Cold Water  
Pressure Washers*

*Automatic Parts  
Washers*

*Biodegradable  
Detergents*



*Nothing Cleans Like a Hotsy!*

# Hotsy Pressure Washers

## The Hotsy Advantage



- 1. WELDED FRAMES** Hotsy frames are welded. They hold up to vibration and are stronger than frames held together with nuts and bolts.
- 2. HIGH PRESSURE PUMP** Hotsy manufactures its own pumps, with a 7-year warranty on the oil end of the Hotsy pump as well as a lifetime warranty on the brass manifold.
- 3. BELTS** High-grade, notched belts operate cooler and have added surface area to prevent slippage.
- 4. PULLEYS** Hotsy cast iron pulleys are sturdy and easy to adjust.
- 5. VIBRATION DAMPENING** Mounting plates reduce engine vibration and thus extend the life of the unit.
- 6. MOTOR** Hotsy only uses name brand motors and engines—Honda, Subaru, Vanguard, and Baldor.
- 7. HEATING COIL** Hotsy has 11 different coils which are sized to come to temperature faster based on the flow rate (gallons per minute) of the machine. The upright heating coil is also more fuel efficient than horizontal coils. 5-year warranty.
- 8. COMBUSTION CHAMBER** Hotsy combustion chambers are extra-efficient as they vent heat upwards through the vertical coil.
- 9. THERMOSTAT** Hotsy pressure washers use thermostats for convenience in adjusting the temperature. This saves fuel without compromising cleaning power.

- 10. TRANSPARENT PLASTIC BOWL FUEL FILTER** Hotsy's transparent plastic bowl fuel filter allows the operator to see and remove any sediment or water in the fuel to protect the burner.
- 11. ROCKER SWITCHES** Hotsy uses low-voltage rocker switches, which are more reliable and less expensive to service than combination barrel switches.
- 12. POWDER COATED PAINT SURFACES** All metal surfaces are phosphatized, then powder coated to ensure excellent paint adherence, protection and longevity.
- 13. POLYETHYLENE FUEL TANKS** Hotsy's cross-linked polyethylene fuel tanks will not rust, decompose or draw condensation, providing a significantly longer life than competitors' metal tanks.
- 14. TRIGGER GUN** The Hotsy trigger gun is ergonomically designed to prevent fatigue and allows for easy maintenance.
- 15. WAND** All Hotsy wands are chrome plated for durability. Hot water units come with insulated wands.
- 16. HOSES** Hotsy hoses are rated beyond the working pressure of the machine. They have a burst rating of four times the working pressure. Hotsy uses only reliable, long-lasting Class A rated pressure hoses.

Exceptional quality, outstanding reliability and advanced features make Hotsy the #1 brand in hot water pressure washers. One look at Hotsy tells you these are rugged, industrial-grade machines designed to give you long life, high productivity and superior cleaning power. Hot water pressure washers are **powered** by electricity, gasoline or diesel and **heated** with fuel oil, diesel, natural gas, propane or electricity.



### Hotsy High-Pressure Pumps

At the heart of many Hotsy machines is the dependable Hotsy pump with a 7-year warranty on the oil end of the Hotsy pump and a lifetime warranty on the brass manifold.



### We Stand Behind Our Product

The best warranties in the industry... all Hotsy heating coils carry a 5-year warranty. In addition, all Hotsy pressure washers are ETL-Certified to UL-1776 Standards and to CSA.

## Electric Powered Hot Water Models



### 500 SERIES

- Oil Fired or LP Fired
- 2.1 or 2.2 GPM @ 1300 or 1500 PSI
- 2 or 2.3 HP
- 115 Volt / 1 Phase
- Direct-Drive Pump



### MODEL 680SS

- Oil Fired
- 3 GPM @ 1000 PSI
- 2 HP
- 115 Volt / 1 Phase
- Direct-Drive Pump



### 700 SERIES

- Oil Fired, LP, or Natural Gas Fired
- 2.8 or 3.5 GPM @ 1500 or 2000 PSI
- 3 to 5 HP
- 208 or 230 Volt / 1 Phase
- Direct & Belt-Drive Pumps

Since 1970...Nothing Cleans Like a Hotsy!

## Electric Powered Hot Water Models



**MODEL 870SS**

- Oil Fired
- 3.5 GPM @ 2000 PSI
- 5 HP
- 230 Volt / 1 Phase
- Direct-Drive Pump



**900 SERIES**

- Oil Fired, LP, or Natural Gas Fired
- 3.8 or 3.9 GPM @ 2000 or 2300 PSI
- 5 or 6.2 HP
- 208, 230, 460 or 575 Volt / 1 or 3 Phase
- Belt-Drive Pump



**1400 SERIES**

- Oil Fired, LP, or Natural Gas Fired
- 3.9 GPM @ 3000 PSI
- 7.5 or 8.2 HP
- 208, 230, 460 or 575 Volt / 1 or 3 Phase
- Belt-Drive Pump



**1800 SERIES**

- Natural Gas Fired
- 4.8 or 5.9 GPM @ 2500 or 3000 PSI
- 10 HP
- 208, 230, 460 or 575 Volt / 1 or 3 Phase
- Belt-Drive Pump



**5700 SERIES**

- Oil Fired or Natural Gas Fired
- 7.8 GPM @ 3000 PSI
- 15 HP
- 208, 230, or 460 Volt / 3 Phase
- Belt-Drive Pump

## Gas Powered Hot Water



**GAS ENGINE SERIES DIRECT-DRIVE**

- Oil Fired
- 2.7 to 3.8 GPM @ 2400 to 3500 PSI
- 7 to 13 HP
- Honda or Robin Subaru Engine
- Direct-Drive Pump

## Gas Powered Hot Water Models



**GAS ENGINE SERIES BELT-DRIVE**

- Oil Fired
- 3.0 to 4.6 GPM @ 3000 to 3500 PSI
- 9 to 16 HP
- Honda, Robin Subaru or Vanguard Engine
- Belt-Drive Pump



**1200 SERIES**

- Oil Fired
- 4.3 to 5.6 GPM @ 3000 to 4000 PSI
- 16 to 20 HP
- Honda or Vanguard Engine
- Belt-Drive Pump



**MODEL 5645**

- Oil Fired
- 6.0 GPM @ 3000 PSI
- 24 HP
- Honda Engine
- Belt-Drive Pump

**North America's #1 Name in High-Pressure Cleaning Equipment.**

## Diesel / Electric Powered Hot Water Models



### SUPER SKID HSS SERIES

- Oil Fired / Diesel Powered
- 4.8 to 9.5 GPM @ 2500 to 3200 PSI
- 16 or 27 HP
- Lombardini Engine
- Belt-Drive Pump



### HWE SERIES

- All Electric
- 3.46 or 3.9 GPM @ 2000 or 3000 PSI
- 6.2 or 7.5 HP
- Baldor Motor
- Belt-Drive Pump



### 9400 SERIES

- Heating Modules (used to convert cold water models into a hot water unit)
- Natural Gas or Oil Fired
- 6 GPM to 10 GPM
- 115V / 1PH

## Gas Powered Cold Water Models



### BD SERIES

- 3.7 to 4.5 GPM @ 3500 to 5000 PSI
- 13 to 24 HP
- Honda GX or Vanguard Engine
- Belt-Drive Pump



### BX SERIES

- 2.8 to 3.7 GPM @ 2000 to 3500 PSI
- 5.5 to 13 HP
- Honda GX Engine
- Belt-Drive Pump



### DB SERIES

- 2.3 to 3.8 GPM @ 2400 to 3500 PSI
- 5.5 to 13 HP
- Honda GC or GX Engine
- Direct-Drive Pump

## Electric Powered Cold Water Models



### HC SERIES

- Hand-held
- 2.3 GPM @ 2400 PSI
- 5.5 HP
- Honda GX Engine
- Direct-Drive Pump



### 1700 SERIES

- 2.75 to 5.93 GPM @ 1000 to 3000 PSI
- 2 to 10 HP
- Baldor Motor
- 120, 208, 230 or 460 Volt / 1 or 3 Phase
- Belt-Drive Pump



### EP SERIES

- 3.0 to 3.5 GPM @ 1000 to 2000 PSI
- 2 to 5 HP
- Baldor Motor
- 120 or 230 Volt / 1 Phase
- Direct-Drive Pump

# Hotsy Automatic Parts Washers

Hotsy automatic parts washers (APWs) offer a low-maintenance solution for cleaning engine parts and industrial equipment. Like an industrial-strength dishwasher, Hotsy automatic aqueous parts washers combine hot water, special biodegradable detergents, and spray action to clean parts automatically. It's a safe, water-based cleaning alternative that eliminates potential health hazards and solvent disposal problems. Plus, there is a substantial labor savings by using a Hotsy APW - let the washer automatically clean your parts while you and your staff focus on revenue-producing work.



## Top-Load Models



**7230 SERIES**

**The 7230 Series** is a compact top-load, automatic, aqueous parts washer with a 22" turntable and 16" work height that fits most commercial applications.

- Pump with Close-Coupled Seals
- 28 GPM @ 30 PSI - 1 HP
- 500 lbs. Load Capacity
- 23 Gal. Sump Capacity
- Automatic Oil Skimmer

## Choose From 2 Different Styles...

Hotsy offers **top-load** and **front-load** automatic parts washers, available in 24 different configurations. Here are a few of the many features that come standard on a Hotsy APW.



**Recessed base** provides ample foot clearance for easy loading and unloading.



**Easy access debris screen** prevents foreign objects from falling into reservoir.



**Integrated oil-skimmer** helps remove oil from cleaning solution in reservoir.




**Sump access panels** make for easier sump cleanout.



**7320 SERIES**

**The 7320 Series** is our largest and most industrial top-load, automatic, aqueous parts washer with a 25" turntable and 18" work height that fits most commercial applications.

- Vertical Seal-less Pump
- 50 GPM @ 45 PSI - 3 HP
- 500 lbs. Load Capacity
- 50 Gal. Sump Capacity
- Automatic Oil Skimmer



**Hotsy's unique internal roll-away door** saves floor space and prevents wash water from dripping on the shop floor.

## Front-Load Models



**7530 SERIES**

- 25" Turntable with 30" Working Height
- 50 GPM @ 45 PSI - 3 HP
- 500 lbs. Load Capacity
- 40 Gal. Sump Capacity
- 6 kW Heater



**7650 SERIES**

- 28" Turntable with 40" Working Height
- 50 GPM @ 45 PSI - 3 HP
- 750 lbs. Load Capacity
- 50 Gal. Sump Capacity
- 6 kW Heater



**7660 SERIES**

- 28" Turntable with 48" Working Height
- 110 GPM @ 50 PSI - 5 HP
- 750 lbs. Load Capacity
- 50 Gal. Sump Capacity
- 9 kW Heater



**7870 SERIES**

- 48" Turntable with 60" Working Height
- 200 GPM @ 50 PSI - 7.5 HP
- 2500 lbs. Load Capacity
- 156 Gal. Sump Capacity
- 18 kW Heater

## Hotsy Detergents



**Hotsy biodegradable detergents are specially formulated for use in hot and cold water high pressure washers and parts washers.**

Hotsy offers a broad choice of detergents customized for specific cleaning applications:

- Transportation specialty detergents
- Degreasers
- All-purpose cleaners
- Specialty cleaners
- Institution and food preparation
- Parts washer detergents

Hotsy detergents are designed for high pressure use and contain advanced-formula HCC additives to prevent scale build-up and fight corrosion in your equipment. Certifications of Hotsy detergents include USDA, Canadian Agriculture, and Kosher.

**Your Local Distributor...  
outstanding local service and  
application expertise.**



When you purchase a Hotsy, you also receive outstanding application expertise and service from your local distributor. Most Hotsy distributors have been servicing the pressure washer needs of their community for over 20 years.

Your Hotsy distributor is your local expert for cleaning applications. Whether you are buying your first machine, or looking for an upgrade, your local Hotsy distributor will analyze your cleaning requirements, and suggest the best pressure washer or parts washer for your specific need. It's so important to get the right machine for your job, because the right pressure washer and accessory options can speed your cleaning time, cut your detergent use, and reduce your cleaning costs.

Your local Hotsy dealer also provides prompt and reliable service. Hotsy service technicians can come to you, and carry a large supply of parts on the truck, to keep your pressure washer maintained and running well.

## Hotsy Accessories

*Hotsy accessories can provide faster, more efficient cleaning. Speak with your local Hotsy distributor to find out which accessory may be best for your cleaning needs. Some of the most common accessories are:*

**Hose reels** - 360° pivot and non-pivot reels can hold up to 400 feet of hose. Reels can be mounted to a wall or directly to a pressure washer for portable applications.

**Turbo nozzles** - high-pressure nozzles with a jackhammer effect blasting away dirt effortlessly and quickly.

**Telescoping wands** - 6 to 24 foot extension wands, are ideal for high or hard-to-reach cleaning areas.

They can be used with any pressure washers up to 4000 PSI.

**High pressure hoses** - chemical and oil-resistant hoses have swivels at both ends. Hose guards are added for extra protection for the operator. Long hoses, with their added reach, can help speed cleaning time.

**Rotary surface cleaners** - designed for use with most hot and cold water pressure washers, and are ideal for cleaning floors, parking lots, warehouse floors, trailer floors and more.



Rotary Surface Cleaner

Legacy Revolution Turbo Nozzle



Hose Reel



High-pressure hoses



Telescoping wands extend to 24' to reach high places without scaffolding

Distributed by:

High-pressure turbo nozzles for faster cleaning



(800) 525-1976  
P/N 8.914-246.0

Fax: (888) 880-9631  
Printed in USA

email: info@Hotsy.com  
Effective 9/07

Website: www.Hotsy.com

Specifications and product descriptions subject to change without notice. ©2007 Hotsy